




ROUND ALUMINUM CANS



From concept to finished product...

At American Aluminum, we stock tools and dies that enable us to produce, among other things, over 500 standard sizes of round cans ranging from .370" to 24" outside diameter. (Lengths determined by needs.)

This inventorying of tools means that customers ordering any of these sizes avoid tool and die charges and enjoy faster delivery.

It all takes place in one location. We have a modern, fully integrated plant located in Mountainside, New Jersey, right in the heart of the Metropolitan industrial area. This completely equipped plant offers all

the capabilities required to provide services for our customers ranging from the development of designs to shipping completely finished, ready-to-use parts. Our capabilities and equipment include:

Engineering and Design Services
Testing Services
Tool and Die Making
Deep Drawing
Hydroforming
Spinning
Stamping
Heliarc Welding
Spot Welding
Riveting
Heat Treating

Anodizing
Painting

Also, at this one location we maintain a prototype shop.

This vertical integration minimizes both lost time and increased costs which are ever present when a part must be transferred to a subcontractor to be processed. If you have a complex requirement for fabricated metal parts, we would like the opportunity to be of service. We are proud of our 92 years of business life. Our customers have made our company grow and we are happy to count them as our friends.

Specifications

MATERIAL — Aluminum. Cans are available in other metals upon special request.

TOLERANCES — Tolerances are as follows:

Outside Diameter		Overall Height	
Up to 1"	± .005	Up to 6"	± 1/64
1" to 6"	± .010	6" to 12"	± 1/32
6" to 10"	± 1/64	12" and over	± 1/16
10" and over	± 1/32		
Inside Radius			
Up to ½"	± 1/64		
½" to 1"	± 1/32		
1" and over	± 1/16		

Cans can be supplied in closer tolerances upon special request.

FINISH — Cans are supplied washed, without finish.

Cans can be supplied in many finishes including alkali etch, chromic or sulphuric anodize, satin emery, or painted to your specifications upon request.

PACKAGING — Cans will be bulk packed.

SHIPPING — F.O.B. Mountainside, New Jersey.

MINIMUM CHARGE — There will be a 10 piece minimum.


Government Certification on above specifications available upon request where applicable.

How To Order

When ordering, specify height required. If no height is specified, cans will be shipped at the maximum height listed.

EXAMPLE

Catalog No. 0300-1206-1½". This is a can 3" in diameter with a blank thickness of .081", a 3/16" inside radius and 1½" overall height.



Catalog No.	Outside Diameter	Maximum Overall Height	Blank Thickness	Inside Radius
-------------	------------------	------------------------	-----------------	---------------

Under 1"

AA0037-3001	.370	.40	.010	1/64
AA0062-1804	.625	.97	.040	1/8
AA0068-2604	.687	1.75	.016	7/64
AA0073-2203	.735	1.56	.025	3/32
AA0075-2202	.750	1.62	.025	1/16
AA0079-2402	.790	1.00	.020	1/16
AA0081-2201	.812	.87	.025	1/32
AA0081-2401	.812	3.12	.020	1/32
AA0083-2402FO	.839	.22	.020	1/16
AA0084-2402FO	.845	.18	.020	1/16
AA0086-2601	.865	2.93	.016	1/32
AA0087-2602	.870	2.80	.016	1/16
AA0088-2602	.875	2.43	.016	3/64
AA0093-2002	.937	1.18	.032	1/16
AA0093-2602	.937	1.75	.016	5/64
AA0093-2401	.937	2.62	.020	3/64
AA0094-3000	.946	.21	.010	.005
AA0095-1801	.955	.76	.040	1/32
AA0096-2403	.960	2.56	.020	3/32
AA0100-2601	.999	.20	.015	1/32

1" to 2"

AA0100-1404	1.000	1.12	.064	1/8
AA0100-2401	1.000	.74	.020	1/32
AA0100-2403	1.000	.75	.020	7/64
AA0100-2002	1.000	.87	.032	5/64
AA0100-2001	1.000	2.75	.032	1/32
AA0100-2201	1.000	3.75	.025	1/32
AA0102-2403	1.025	1.25	.020	7/64
AA0102-2604	1.025	2.00	.016	1/8
AA0103-1804	1.031	.56	.040	1/8
AA0104-2004	1.046	1.12	.032	1/8
AA0107-2601	1.075	1.39	.015	1/64
AA0111-1802	1.115	1.62	.040	1/16
AA0112-2202	1.125	1.20	.025	1/16
AA0112-2604	1.125	1.00	.016	7/64
AA0112-1402	1.125	1.50	.064	1/16
AA0112-2203	1.125	1.37	.025	3/32
AA0113-2204	1.135	3.00	.025	7/64
AA0113-2003	1.135	3.12	.032	3/32
AA0118-2403	1.187	2.00	.020	3/32
AA0121-2203	1.218	1.75	.025	3/32
AA0124-2002	1.240	1.22	.032	1/16
AA0125-2404	1.250	.50	.020	1/8
AA0125-2203	1.250	.56	.025	5/64
AA0125-2003	1.250	.68	.032	3/32
AA0125-2603	1.250	1.62	.016	7/64
AA0125-1803	1.250	2.00	.040	3/32
AA0128-2402	1.285	3.00	.020	5/64
AA0129-2405	1.293	2.65	.020	5/32
AA0131-1403	1.312	1.18	.064	7/64
AA0131-2400	1.312	6.00	.020	1/64
AA0137-1601	1.370	2.62	.051	1/32
AA0137-2605	1.375	.62	.016	5/32
AA0137-2402	1.375	.68	.020	5/64
AA0137-1303	1.375	.81	.072	5/64
AA0137-2203	1.375	1.37	.025	3/32
AA0137-2004	1.375	2.00	.032	1/8
AA0137-2010	1.375	2.50	.032	5/16



Catalog No.	Outside Diameter	Maximum Overall Height	Blank Thickness	Inside Radius
-------------	------------------	------------------------	-----------------	---------------

1" to 2"

AA0137-2204	1.375	2.50	.025	7/64
AA0143-2001	1.437	1.65	.032	1/32
AA0143-2202	1.437	1.00	.025	1/16
AA0144-2401	1.448	1.90	.020	1/32
AA0149-2203	1.490	4.25	.025	3/32
AA0149-2601	1.497	5.07	.016	1/64
AA0150-1801	1.500	1.12	.040	1/32
AA0150-2202	1.500	1.00	.025	3/64
AA0150-2405	1.500	2.84	.020	9/64
AA0150-2601	1.500	.75	.016	3/64
AA0150-2606	1.500	1.25	.016	13/64
AA0150-2403	1.500	1.37	.020	7/64
AA0150-2206	1.500	1.50	.025	3/16
AA0150-2404	1.500	3.50	.020	9/64
AA0150-2002	1.500	3.06	.032	3/64
AA0151-2403	1.511	2.62	.020	7/64
AA0155-2201	1.555	1.43	.025	1/32
AA0155-2202	1.557	2.50	.025	1/16
AA0155-2402	1.555	3.37	.020	5/64
AA0156-1406	1.562	.81	.064	13/64
AA0156-1603	1.559	3.00	.051	3/32
AA0156-2005	1.562	1.00	.032	5/32
AA0156-2202	1.562	.75	.025	1/16
AA0156-2402	1.562	2.00	.020	1/16

Maximum height only has been shown.
Cans are available in any height to the nearest 1/16".

Catalog No.	Outside Diameter	Maximum Overall Height	Blank Thickness	Inside Radius
1" to 2"				
AA0156-2603	1.562	2.25	.016	7/64
AA0162-1404	1.625	3.25	.064	1/8
AA0162-1805	1.625	1.31	.040	9/64
AA0162-2001	1.625	1.63	.032	1/64
AA0162-2002	1.625	.81	.032	5/64
AA0162-2004	1.625	2.00	.032	9/64
AA0162-2203	1.625	1.62	.025	3/32
AA0162-2204	1.625	2.75	.025	1/8
AA0166-2204	1.665	4.50	.025	1/8
AA0168-1807	1.687	2.18	.040	13/64
AA0168-2205	1.687	1.00	.025	9/64
AA0168-2603	1.687	1.00	.016	7/64
AA0172-1603	1.725	2.75	.051	3/32
AA0175-2003	1.750	1.37	.032	7/64
AA0175-2204	1.750	1.93	.025	7/64
AA0175-2604	1.750	2.00	.016	9/64
AA0175-2403	1.750	2.12	.020	7/64
AA0175-1803	1.750	2.43	.040	5/64
AA0175-2405	1.750	3.00	.020	11/64
AA0175-2401	1.750	4.18	.020	3/64
AA0175-2404	1.750	4.50	.020	9/64
AA0176-1602	1.766	1.43	.051	3/64
AA0176-2201	1.761	4.27	.025	1/32
AA0181-2001	1.812	2.25	.032	3/64
AA0182-1801	1.825	.75	.040	3/64
AA0184-2202	1.843	1.62	.025	1/16
AA0184-2602	1.843	5.00	.016	1/16
AA0187-2004	1.875	.93	.032	1/8
AA0187-2403	1.875	.93	.020	7/64
AA0187-1414	1.875	1.12	.064	7/16
AA0187-2005	1.875	1.62	.032	11/64
AA0187-2407	1.875	1.87	.020	15/64
AA0187-2204	1.875	2.12	.025	1/8
AA0187-1805	1.875	2.25	.040	9/64
AA0188-1402	1.880	.31	.064	1/16
AA0192-2202	1.921	1.56	.025	3/64
AA0193-1603	1.932	3.18	.051	3/32
AA0193-2602	1.930	.85	.016	1/16
AA0193-2201	1.936	7.15	.025	1/32
AA0193-2004	1.937	1.12	.032	1/8
AA0193-2404	1.937	4.12	.020	1/8
AA0196-2206	1.968	1.50	.025	11/64
AA0199-1602	1.995	3.63	.051	1/16
2" to 3"				
AA0200-2001	2.000	2.93	.032	1/32
AA0200-2002A	2.000	3.62	.032	5/64
AA0200-2206	2.000	3.31	.025	3/16
AA0200-2002B	2.000	.87	.032	1/16
AA0200-1803	2.000	2.00	.040	3/32
AA0200-1407	2.000	2.12	.064	7/32
AA0200-2203	2.000	3.50	.025	3/32
AA0200-2401	2.000	4.00	.020	1/32
AA0200-2603	2.000	4.50	.016	7/64
AA0206-2002	2.062	2.00	.032	5/64
AA0210-2404	2.105	3.62	.020	9/64
AA0211-2203	2.112	2.29	.025	5/64
AA0212-2403	2.125	.37	.020	3/32
AA0212-2005	2.125	1.25	.032	5/32

Catalog No.	Outside Diameter	Maximum Overall Height	Blank Thickness	Inside Radius
2" to 3"				
AA0212-2407	2.125	1.37	.020	15/64
AA0212-1803	2.125	4.75	.040	3/32
AA0214-1803	2.140	4.25	.040	3/32
AA0214-2203	2.140	2.50	.025	3/32
AA0215-2607	2.156	1.37	.016	15/64
AA0215-2202	2.156	2.00	.025	3/64
AA0218-2004	2.187	3.00	.032	1/8
AA0221-2004	2.210	3.12	.032	1/8
AA0225-2004	2.250	5.37	.032	1/8
AA0225-2004	2.250	2.56	.032	1/8
AA0225-2401	2.250	5.44	.020	1/32
AA0225-2403	2.250	3.87	.020	7/64
AA0225-2603	2.250	4.37	.016	7/64
AA0225-2001	2.254	4.31	.032	1/64
AA0227-2004	2.275	1.37	.032	9/64
AA0227-2206	2.275	2.43	.025	3/16
AA0227-2403	2.275	3.25	.020	7/64
AA0228-1804	2.281	3.18	.040	1/8
AA0228-2404	2.281	3.75	.020	9/64
AA0235-2402	2.359	1.12	.020	5/64
AA0237-2004	2.375	3.50	.032	1/8
AA0237-2206	2.375	1.12	.025	11/64
AA0237-1608	2.375	1.18	.051	17/64
AA0237-2403	2.375	1.43	.020	7/64
AA0237-2207	2.375	1.50	.025	13/64
AA0237-2002	2.375	3.12	.032	1/16
AA0237-1803	2.375	4.18	.040	3/32
AA0240-2004	2.406	3.50	.032	9/64
AA0243-1607	2.437	2.25	.051	15/64
AA0244-2004	2.440	2.09	.032	1/8
AA0247-2601	2.475	.62	.016	1/32
AA0250-2605	2.500	1.43	.016	11/64
AA0250-1407	2.500	1.50	.064	7/32
AA0250-1606	2.500	1.50	.050	3/16
AA0250-1807	2.500	1.50	.040	13/64
AA0250-1207	2.500	1.93	.081	15/64
AA0250-2004	2.500	2.87	.032	1/8
AA0253-2412	2.535	2.87	.020	3/8
AA0256-1601	2.562	2.00	.051	1/32
AA0256-1602	2.562	2.12	.051	5/64
AA0256-2203	2.562	5.37	.025	5/64
AA0256-2402	2.562	5.75	.020	5/64
AA0258-2007	2.587	2.87	.032	15/64
AA0262-2214	2.625	1.25	.025	7/16
AA0262-2004	2.625	2.34	.032	9/64
AA0262-2401	2.625	2.62	.020	1/32
AA0262-1609	2.625	3.00	.051	19/64
AA0262-2604	2.625	3.00	.016	1/8
AA0262-1605	2.620	.50	.050	5/32
AA0262-1806	2.625	3.50	.040	11/64
AA0262-1604	2.625	4.63	.050	1/8
AA0263-1602	2.630	2.21	.050	1/16
AA0264-2404	2.640	3.12	.020	9/64
AA0264-2011	2.640	5.00	.032	11/32
AA0265-2204	2.656	1.50	.025	1/8
AA0265-2406	2.656	1.50	.020	3/16
AA0265-2005	2.656	1.62	.032	11/64

Catalog No.	Outside Diameter	Maximum Overall Height	Blank Thickness	Inside Radius
2" to 3"				
AA0265-2605	2.656	1.62	.016	5/32
AA0265-1805	2.656	2.81	.040	5/32
AA0266-2003	2.660	4.53	.032	3/32
AA0271-0804	2.715	7.88	.125	1/8
AA0275-2605	2.750	1.37	.016	5/32
AA0275-2204	2.750	1.56	.025	1/8
AA0275-2405	2.750	5.12	.026	11/64
AA0280-1208	2.820	1.39	.080	1/4
AA0282-2406	2.828	4.75	.020	11/64
AA0284-2006	2.843	2.25	.032	13/64
AA0287-2404	2.875	2.12	.020	9/64
AA0287-2007	2.875	2.75	.032	7/32
AA0287-2604	2.875	3.18	.016	9/64
AA0287-2405	2.875	5.00	.020	5/32
AA0289-1802	2.890	7.00	.040	1/16
AA0290-1802	2.900	6.00	.040	3/64
AA0292-1402	2.915	.37	.064	1/16
AA0297-2402	2.977	1.67	.020	1/16
AA0298-2404	2.984	4.75	.020	9/64
3" to 4"				
AA0300-2012	3.001	2.81	.032	3/8
AA0300-2002	3.000	3.00	.032	1/16
AA0300-2004	3.000	12.50	.032	1/8
AA0300-1605	3.000	1.75	.051	17/64
AA0300-2007	3.000	4.50	.032	7/32
AA0300-2205	3.000	1.93	.025	5/32
AA0300-2405	3.000	2.00	.020	5/32
AA0300-1206	3.000	1.37	.081	3/16
AA0300-1609	3.000	1.50	.051	19/64
AA0300-1408	3.000	2.75	.064	1/4
AA0300-1803	3.000	3.00	.040	5/64
AA0300-2204	3.000	5.43	.025	1/8
AA0300-2003	3.000	5.75	.032	5/64
AA0302-1108	3.027	3.92	.091	1/4
AA0306-1617	3.062	9.12	.051	35/64
AA0310-1802	3.109	6.50	.040	3/64
AA0310-2001	3.102	1.50	.032	1/32
AA0310-2004	3.100	2.37	.032	7/64
AA0312-1404	3.125	5.50	.064	1/8
AA0312-2406	3.125	6.03	.020	11/64
AA0312-2003	3.125	2.87	.032	3/32
AA0312-2202	3.125	3.12	.025	1/16
AA0314-2403	3.140	2.00	.020	7/64
AA0318-2203	3.186	2.50	.025	3/32
AA0318-2003	3.187	5.00	.032	3/32
AA0318-2202	3.187	6.50	.025	1/16
AA0321-2002	3.218	3.25	.032	5/64
AA0325-2404	3.250	1.75	.020	9/64
AA0325-2201FO	3.248	.53	.025	1/32
AA0325-2205	3.250	2.37	.025	5/32
AA0325-1804	3.250	2.43	.040	1/8
AA0335-2002	3.350	10.00	.032	1/16
AA0337-1206	3.375	1.62	.081	13/64
AA0337-1805	3.375	2.12	.040	5/32
AA0339-2004	3.390	3.12	.032	1/8
AA0343-2008	3.437	3.25	.032	1/4
AA0343-2407	3.437	4.00	.020	15/64
AA0343-2206	3.437	3.75	.025	3/16


Catalog No.	Outside Diameter	Maximum Overall Height	Blank Thickness	Inside Radius
3" to 4"				
AA0346-2407	3.468	2.37	.020	15/64
AA0346-1812	3.468	3.12	.040	23/64
AA0347-2007	3.475	4.00	.032	7/32
AA0347-1807	3.475	6.00	.040	13/64
AA0348-2202	3.484	5.12	.025	3/64
AA0349-2204	3.494	5.05	.025	1/8
AA0350-1414	3.500	2.62	.064	7/16
AA0350-2016	3.500	3.25	.032	1/2
AA0350-1614	3.500	1.62	.051	29/64
AA0350-1806	3.500	1.68	.040	11/64
AA0350-2405	3.500	1.75	.020	11/64
AA0350-2605	3.500	1.87	.016	5/32
AA0350-2004	3.500	2.25	.032	9/64
AA0350-1808	3.500	2.25	.040	15/64
AA0350-1406	3.500	3.25	.060	11/64
AA0353-1102	3.538	2.74	.090	1/16
AA0353-2407	3.531	1.50	.020	15/64
AA0353-2204	3.531	2.00	.025	1/8
AA0354-2204	3.546	5.25	.025	7/64
AA0356-2005	3.562	6.50	.032	5/32
AA0362-1406	3.625	5.50	.064	13/64
AA0362-2002	3.626	4.56	.032	3/64
AA0362-2405	3.625	2.00	.020	11/64
AA0362-2607	3.625	2.25	.016	15/64
AA0365-1402	3.654	.50	.064	1/16
AA0367-2016	3.678	3.17	.032	1/2
AA0370-1803	3.700	2.10	.040	3/32
AA0372-2016	3.718	3.17	.032	1/2
AA0375-1402	3.750	1.75	.064	1/16
AA0375-2007	3.750	1.56	.032	15/64
AA0375-1827	3.750	1.75	.040	53/64
AA0375-1620	3.750	8.00	.051	41/64
AA0378-2203	3.781	3.00	.025	3/32
AA0379-2008	3.796	2.62	.032	1/4
AA0379-2209	3.796	3.00	.025	9/32
AA0379-1808	3.796	5.50	.040	15/64
AA0379-2009	3.796	5.75	.032	9/32
AA0381-0804	3.812	1.14	.125	1/8
AA0381-2208	3.812	4.75	.025	1/4
AA0382-2407	3.828	3.12	.020	15/64
AA0387-2008	3.875	1.75	.032	1/4
AA0390-1402	3.907	1.06	.064	1/16
AA0395-1803	3.953	2.12	.040	5/64
AA0397-2012	3.969	2.81	.032	3/8
AA0398-1308	3.984	2.75	.072	15/64
AA0398-1602	3.980	.73	.051	1/16
4" to 5"				
AA0400-1602	4.000	5.12	.051	1/16
AA0400-2011	4.000	3.00	.032	11/32
AA0400-1603	4.000	2.50	.051	3/32
AA0400-1403	4.000	2.62	.064	7/64
AA0400-1406	4.000	3.75	.064	3/16
AA0400-2206	4.000	3.37	.025	3/16
AA0400-2210	4.000	4.25	.025	5/16
AA0400-1806	4.000	5.25	.040	11/64
AA0400-2001	4.000	6.87	.032	1/32
AA0400-2002	4.000	8.50	.032	1/16
AA0402-1308	4.022	2.85	.072	1/4

Maximum height only has been shown.
Cans are available in any height to the nearest 1/16".

Catalog No.	Outside Diameter	Maximum Overall Height	Blank Thickness	Inside Radius
4" to 5"				
AA0402-2011	4.025	2.50	.032	11/32
AA0404-1812	4.046	3.25	.040	23/64
AA0409-2002FO	4.093	.62	.032	1/16
AA0415-1816	4.150	4.70	.040	1/2
AA0418-2209	4.187	4.00	.025	9/32
AA0418-1803	4.187	5.12	.040	5/64
AA0425-2003	4.250	5.00	.032	3/32
AA0429-2008	4.296	2.25	.032	1/4
AA0431-2007	4.312	3.31	.032	15/64
AA0431-2207	4.312	3.37	.025	7/32
AA0432-2207	4.328	3.75	.025	7/32
AA0437-2216	4.375	3.75	.025	1/2
AA0437-2220	4.375	3.75	.025	5/8
AA0446-1606	4.465	3.50	.050	3/16
AA0448-1402	4.485	2.50	.064	1/16
AA0450-2008	4.500	2.25	.032	1/4
AA0450-1402	4.500	.75	.064	1/16
AA0450-2211	4.500	2.37	.025	11/32
AA0450-1616	4.500	4.62	.051	1/2
AA0450-2003	4.500	4.87	.032	3/32
AA0450-1205	4.500	7.43	.081	11/64
AA0450-1804	4.500	7.50	.040	1/8
AA0462-2209	4.625	1.50	.025	9/32
AA0464-1616	4.640	5.75	.051	33/64
AA0464-1602	4.640	6.12	.051	5/64
AA0467-1622	4.671	4.37	.051	45/64
AA0467-0802	4.678	.67	.025	1/16
AA0470-2009	4.703	3.25	.032	9/32
AA0473-1805	4.734	4.00	.040	9/64
AA0475-2006	4.750	2.43	.032	13/64
AA0475-1803	4.750	5.25	.040	5/64
AA0476-1806	4.765	3.12	.040	11/64
AA0476-2012	4.765	5.25	.032	3/8
AA0479-2201	4.796	6.25	.025	1/32
AA0492-1605	4.921	3.62	.051	11/64
AA0493-1827	4.937	5.62	.040	53/64
5" to 6"				
AA0500-1411	5.000	3.50	.064	11/32
AA0500-1618	5.000	4.00	.051	9/16
AA0500-1803 B	5.000	8.50	.040	5/64
AA0500-1803 A	5.000	7.25	.040	3/32
AA0500-2003	5.000	4.75	.032	7/64
AA0500-2216	5.000	2.50	.025	1/2
AA0500-1412	5.000	2.62	.064	3/8
AA0500-2003	5.000	6.50	.032	5/64
AA0500-2002	5.000	5.00	.032	1/16
AA0503-1805	5.031	5.00	.040	9/64
AA0504-1806	5.048	.85	.040	3/16
AA0518-1109	5.187	5.25	.091	9/32
AA0522-2001	5.220	3.87	.032	1/32
AA0525-2003	5.250	4.59	.032	3/32
AA0525-1410	5.250	3.75	.064	5/16
AA0526-1812	5.260	1.87	.040	23/64
AA0537-1406	5.375	2.25	.064	3/16
AA0537-2207	5.375	2.50	.025	7/32
AA0537-1807	5.375	3.53	.040	7/32
AA0537-1604	5.375	4.00	.051	9/64
AA0543-2208	5.437	3.00	.025	1/4

Catalog No.	Outside Diameter	Maximum Overall Height	Blank Thickness	Inside Radius
5" to 6"				
AA0543-1808	5.437	3.12	.040	15/64
AA0545-1808	5.458	3.12	.040	15/64
AA0545-2208	5.458	2.50	.025	1/4
AA0550-2015	5.500	4.37	.032	15/32
AA0562-1827	5.625	4.75	.040	53/64
AA0572-2006	5.720	4.78	.032	3/16
AA0575-2005	5.750	11.12	.040	5/32
AA0575-1813	5.750	2.25	.040	13/32
AA0589-1304	5.890	2.47	.072	1/8
AA0583-1808	5.830	9.80	.040	1/4
AA0590-1611	5.900	3.62	.051	23/64
6" to 7"				
AA0600-1616	6.000	3.25	.051	1/2
AA0600-1305	6.000	4.00	.072	9/64
AA0612-1406	6.125	2.25	.064	3/16
AA0612-1217	6.125	4.50	.081	35/64
AA0612-1809	6.125	5.37	.040	17/64
AA0612-2008	6.125	6.00	.032	1/4
AA0614-1608	6.140	3.37	.051	17/64
AA0614-1803	6.142	8.43	.040	3/32
AA0618-1104	6.180	14.36	.090	1/8
AA0625-1404	6.250	5.50	.064	1/8
AA0625-1616	6.250	6.00	.051	33/64
AA0637-2010	6.375	3.25	.032	5/16
AA0645-2023	6.453	4.25	.032	23/32
AA0647-2023	6.475	4.00	.032	23/32
AA0648-2023	6.484	4.00	.032	23/32
AA0648-1817	6.484	4.00	.040	33/64
AA0648-2223	6.484	4.00	.025	23/32
AA0650-2023	6.500	4.25	.032	23/32
AA0658-1409	6.584	1.25	.064	9/32
AA0662-1836	6.625	3.37	.040	1- 1/8
AA0677-1807	6.775	11.50	.040	7/32
7" to 8"				
AA0700-1408	7.000	9.50	.063	1/4
AA0700-1811	7.000	3.00	.040	21/64
AA0700-2007	7.000	9.00	.032	15/64
AA0700-1808	7.000	16.00	.040	15/64
AA0701-1809	7.015	4.37	.040	17/64
AA0702-1608	7.025	2.50	.051	17/64
AA0702-2009	7.025	3.12	.032	9/32
AA0702-1616	7.025	3.62	.051	1/2
AA0709-2004	7.093	2.00	.032	1/8
AA0750-1113	7.500	3.75	.091	13/32
AA0750-1422	7.500	14.25	.064	11/16
AA0750-1621	7.475	8.75	.050	21/32
AA0757-1812	7.575	4.00	.040	3/8
AA0760-2023	7.609	3.00	.032	23/32
AA0762-1412	7.625	4.12	.064	3/8
AA0763-1404	7.630	1.00	.064	1/8
AA0773-2005	7.734	4.00	.032	5/32
AA0781-2212	7.812	3.68	.025	3/8
8" to 9"				
AA0800-1412	8.000	5.12	.064	3/8
AA0800-1812	8.000	3.50	.040	23/64
AA0800-1413	8.000	4.50	.064	13/32
AA0850-1610	8.500	6.50	.051	21/64
AA0873-1804	8.734	18.50	.040	1/8

Catalog No.	Outside Diameter	Maximum Overall Height	Blank Thickness	Inside Radius
8" to 9"				
AA0875-1807	8.750	17.62	.040	7/32
AA0875-1805	8.750	18.50	.040	9/64
AA0893-0507	8.937	12.00	.187	7/32
9" to 10"				
AA0900-2007	9.000	6.25	.032	15/64
AA0900-1414	9.000	6.50	.064	7/16
AA0900-1807	9.000	9.75	.040	7/32
AA0937-2612	9.372	1.37	.016	3/8
AA0996-1821	9.968	5.37	.040	41/64
10" to 11"				
AA1012-1422	10.128	11.56	.064	11/16
AA1034-1827	10.375	3.25	.040	53/64
AA1040-1810	10.406	5.50	.040	19/64
AA1095-0524	10.953	11.00	.187	3/4
AA1098-1406	10.984	8.87	.064	3/16
AA1098-1414	10.984	10.25	.064	7/16
11" to 12"				
AA1100-1209	11.000	4.20	.080	9/32
AA1100-2012	11.000	4.25	.032	3/8
AA1100-1620	11.000	12.00	.050	5/8
AA1100-1831	11.000	14.00	.040	61/64
AA1198-0808	11.980	5.50	.125	1/4
12" to 13"				
AA1225-1129	12.250	9.00	.091	29/32
AA1225-1225	12.250	12.25	.081	51/64
AA1225-1021	12.250	12.25	.102	41/64
AA1225-1223	12.250	14.75	.081	47/64
AA1226-1123	12.265	6.12	.091	23/32
13" to 14"				
AA1318-1021	13.153	13.87	.102	15/32
AA1350-0812	13.500	24.00	.125	3/8
14" to 15"				
AA1400-1125	14.000	6.62	.091	25/32
AA1400-0534	14.000	7.00	.187	1- 1/16
AA1400-1416	14.000	6.00	.064	1/2
AA1400-1632	14.000	8.00	.050	1
AA1400-1819	14.000	9.50	.040	37/64
AA1400-1831	14.000	10.00	.040	61/64
AA1400-1847	14.000	10.00	.040	1-29/64
AA1400-1330	14.000	10.25	.072	59/64
AA1400-1221	14.000	14.75	.081	43/64
AA1400-1021	14.000	14.87	.102	41/64
AA1400-1418	14.000	15.25	.064	9/16
Over 15"				
AA1650-1030	16.500	21.50	.102	15/16
AA1800-1855	18.000	6.25	.040	1-45/64
AA1800-1863	18.000	6.50	.040	1-61/64
AA1800-1322	18.000	6.62	.072	43/64
AA1800-1021	18.000	10.75	.102	41/64
AA1800-1462	18.000	10.75	.064	1-15/16
AA1800-1221	18.000	11.00	.081	43/64
AA1800-1021	18.000	11.50	.102	41/64
AA1800-1022	18.000	19.00	.102	11/16
AA1800-1124	18.000	22.00	.100	3/4



Catalog No.	Outside Diameter	Maximum Overall Height	Blank Thickness	Inside Radius
Over 15"				
AA2100-1029	21.000	14.00	.102	29/32
AA2100-1032	21.000	14.00	.102	1
AA2400-1032	24.000	16.00	.102	1

Maximum height only has been shown.
Cans are available in any height to the nearest 1/16".